

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	25421	transmi\$6 with timer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/30 19:48
L2	461	encoder same (transmi\$6 with timer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/30 19:48
L3	130	2 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/30 20:01
L5	24	"370"/\$.ccls. and l3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/30 20:01
S1	2	"6584093".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:14
S2	2	"6498809".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:12
S3	2	"6456209".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:15
S4	2	"5887114".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:15
S5	2	"5307413".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:22

S6	7635	encod\$3 and decod\$3 and memory and (match\$3 compar\$4) adj (content\$1 data payload)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:24
S8	34631	(extract\$3 same address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:26
S9	819	S6 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:26
S10	380	S9 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:36
S11	20680	(extract\$3 with address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:26
S12	511	S6 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:26
S13	257	S12 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/29 17:56
S14	10985	tcp and udp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:28
S15	10	S13 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:32
S16	93	codec and memory and (source adj address\$2) and (destination adj address\$2) and (match\$3 compar\$4) with (previous stored cache\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:41

S17	10985	tcp and udp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:48
S18	30	S16 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:44
S19	3	S18 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:42
S20	33	S16 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:39
S21	1209	cod\$3 and decod\$3 and memory and (source adj address\$2) and (destination adj address\$2) and (match\$3 compar\$4) with (previous stored cache\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:43
S22	1241	cod\$3 and decod\$3 and memory and (source adj address\$2) and (destination adj address\$2) and (match\$3 compar\$4) with (previous stored saved cache\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:47
S23	542	S22 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:48
S24	66	S17 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:42
S25	963	encod\$3 and decod\$3 and memory and (source adj address\$2) and (destination adj address\$2) and (match\$3 compar\$4) with (previous stored cache\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 17:09
S26	411	S25 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:43

S27	53	S17 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:44
S28	468	encod\$3 and decod\$3 and memory and (source adj address\$2) and (destination adj address\$2) and (match\$3 compar\$4) with (previous stored saved cache\$2) with (data payload)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:48
S29	211	S28 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 17:13
S30	33	S17 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:48
S31	11226	encod\$3 and decod\$3 and memory and (match\$3 compar\$4) with (previous\$2 stored saved cache\$2) with (content\$1 data payolad)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 17:16
S33	3486	S31 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 17:16
S34	63	S17 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 17:16
S35	1920	encod\$3 and decod\$3 and memory and ((match\$3 compar\$4) with (previous\$2 stored saved cache\$2) with (content\$1 data payolad)) same encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 17:20
S36	497	S35 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 18:05

S37	0	S17 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 17:16
S38	96432	source and destination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 17:17
S39	95	S36 and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 17:20
S40	2344	encod\$3 and decod\$3 and memory and ((match\$3 compar\$4) with (previous\$2 stored saved cache\$2) with (content\$1 data payolad block\$1)) same encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 17:20
S41	625	S40 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 18:56
S42	104	S41 and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 12:09
S43	2	"6199140".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 18:03
S44	449	encoder and (encod\$3 same (match\$3) near6 (previous\$2 stored and saved))) and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 12:09
S45	449	encoder and (encod\$3 same ((match\$3) near6 (previous\$2 stored and saved))) and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 12:09
S46	121	S45 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 18:11

S47	8	S46 and extract\$3 near3 (data payload contents)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 18:06
S48	888	encoder and (encod\$3 same ((match\$3) with (packet address))) and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 12:10
S49	210	S48 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 12:10
S50	600	encoder and (encod\$3 same ((match\$3) near4 (packet address))) and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 12:10
S51	128	S50 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 18:54
S53	900	341/51.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 12:13
S54	2	S51 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 12:14
S55	33793	"341"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 12:13
S56	8	S51 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 12:16
S57	2	"5150430".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 12:17

S58	1	"5150430".pn. and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 12:17
S59	11019	tcp and udp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 12:44
S60	6	S51 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 12:42
S61	6	udp and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 12:44
S62	5	("4074232"   "4168469"   "4414620"   "4920534"   "5247616").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/27 17:44
S63	0	(encod\$3 same tcp) and (encapsulat\$3 same udp) and (encod\$3 same topolgy same rout\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 18:56
S64	71	(encod\$3 same tcp) and (encapsulat\$3 same udp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 18:56
S65	20	S64 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 19:06
S66	0	(encod\$3 same rout\$3 same decod\$3) and "routing cost" and "routing distance"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 19:06
S67	726	(encod\$3 same rout\$3 same decod\$3) and "cost" and "distance"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 19:06

S68	32	(encod\$3 same rout\$3 same decod\$3) and routing same ("cost" and "distance")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 19:11
S69	9	S68 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 19:13
S70	0	(encod\$3 near3 ((receiv\$3 obtain\$3) with rout\$3) with decod\$3) and routing same ("cost" and "distance")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 19:13
S71	22	(encod\$3 near3 ((receiv\$3 obtain\$3) with rout\$3) with decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 19:14
S72	0	S71 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 19:14
S73	27	(encod\$3 near3 ((receiv\$3 obtain\$3) with rout\$3) same decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 19:14
S74	0	S73 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 19:14
S75	120	(encod\$3 near3 ((receiv\$3 obtain\$3) with rout\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 19:14
S76	35	S75 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 19:21
S77	280	router with encoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 19:33



S78	54	S77 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/30 17:25
S79	310	router with decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 19:33
S80	77	S79 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 19:33
S81	0	appletalk same (packet with destination with bypass)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/29 17:55
S82	1	appletalk same (packet with destination with (ignore\$2 discard\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/29 17:56
S83	1024	(packet with destination with (ignore\$2 discard\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/29 17:56
S84	243	S83 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/29 17:58
S85	2	"5485526".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/29 17:59
S86	2	"5903230".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/29 18:01
S87	2	"5892549".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/29 20:33

S88	2	"20020184390".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/29 20:33
S89	2	"20050165966".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/30 17:27
S90	310	decoder with router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/30 17:28
S91	4726	decoder with rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/30 17:28
S92	480	decoder near rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/30 17:28
S93	143	S92 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/30 17:29
S94	238	decoder adj rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/30 17:28
S95	57	S94 and @rlad<"20000725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/30 19:47